

DriWran

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY / UNDERTAKING

DRIWRAP®

Product Identifier

EC No. Not applicable

Index No. Not applicable

Synonym (s)

CAS No. Not applicable Silica aerogel material

REACH Registration Number

Not applicable. Aerogel insulation blankets are considered to be an article, not a substance or

mixture, under the REACH Regulation.

Relevant identified uses and uses advised against

Industrial and Professional:

High performance insulation material.

Consumer: Not applicable. Avoid any use: None reported.

Details of the supplier

Dritherm International, Inc.

2500 Plaza 5/Harborside Financial Ctr

Jersey City Telephone: (973) 808-2255

NJ 07311

e-mail address

info@dritherm.com

Emergency Telephone number

800-343-4188

SECTION 2. HAZARDS IDENTIFICATION

Classification (EC 1272/2008) Product is not classified as a hazardous material.

Classification

Label Elements:

(1999/45/EC / CHIP)

Product is not classified as a hazardous material.

No pictogram required

Signal Word

Not applicable

Hazard Statements

Not applicable

Precautionary Statements

Not applicable

Supplemental information

None reported.

Other hazards

Dust from the product when handling and in use may cause mechanical irritation to the respiratory

tract, eyes and skin.

Not classified as PBT or vPvB, based on the assessment carried out according to Annex XIII of

REACH regulation.

NFPA HAZARD CLASSIFICATION		HMIS HAZARD CLASSIFICATION		
Health	1	Health	1	
Flammability	0	Flammability	0	
Reactivity	0	Reactivity	0	
Other	Not applicable	Protection	Please refer to Section 8.	



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 3	COMPOSITION /	INFORMATION O	N INGREDIENTS

Chemical name *Methylsilylated silica (synthetic amorphous silica)	CAS No 68909-20-6	EC No 272-697-1	REACH Reg No Not registered		Classification Not classified	Conc'n % 40-50
*Fibrous glass (textile grade)	-	-	Not registered		Not classified	40-50
*Iron oxide (iron(III) oxide)	1309-37-1	215-168-2	Not available	- N	GHS09 H411 4.1/2 R51/53	1-5
*Aluminium trihydrate (aluminium hydroxide)	21645-51-2	244-492-7	Not available		Not classified	1-5

Other components are either not classified or are below the concentration limit for classification.

Balance

Further information

*CONTAINS A SUBSTANCE WITH AN OCCUPATIONAL EXPOSURE LIMIT

Key to abbreviations, hazard statements and risk phrases in Section 16.

SECTION 4. FIRST AID MEASURES

Description of first aid

measures

Take measures to avoid further contamination or contact. Remove contaminated clothing

immediately, to be washed before reuse.

Inhalation Remove to fresh air. Drink water to clear throat and blow nose to remove dust. If necessary seek

medical advice

Skin contact Clean areas of skin affected with soap and plenty of water.

Eye contact In case of contact with eyes, rinse immediately with plenty of water until irritation subsides. If

necessary (e.g. irritation persists), consult an eye specialist / ophthalmologist.

Ingestion No first aid treatment required.

Most important symptoms and effects, both acute

and effects, both acute

and delayed

Irritation of the throat and upper respiratory tract, irritation of skin and eyes.

Inhalation of excessive amounts of dust from the product may cause mechanical irritation to the

respiratory tract. Dermal contact may aggravate existing dermatitis.

Indication of any immediate medical attention and special treatment needed

None reported.

SECTION 5. FIRE FIGHTING MEASURES

General hazard THE PRODUCT IS NON-COMBUSTIBLE

Extinguishing media To suit local surroundings (e.g. water spray, carbon dioxide, foam, chemical powder)

Extinguishing media not to

be used

None reported.

Special hazards arising from the substance or

mixture

Decomposition products released in a fire, (e.g. oxides of carbon), should be considered toxic if inhaled. Rolls of material can retain heat within internal layers and re-ignite combustible materials

if heat is not removed.

Advice for fire-fighters Wear self-contained breathing apparatus.



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Adhere to personal protective measures.

Minimize dust generation and ensure adequate ventilation.

Environmental precautions Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once

Methods and materials for containment and cleaning

up

Take up mechanically (e.g. vacuum up) into tightly closable containers. Label container and dispose of as prescribed.

Reference to other

sections

Section 8 – personal protective measures

Section 13 - disposal of waste

SECTION 7. HANDLING AND STORAGE

Precautions for safe

Handle in accordance with good hygiene and safety practice.

handling Unpack material in the work area to minimize the area where dust exposure may occur.

Pack trimmed material and scrap in disposal bags promptly.

Conditions for safe storage, including any incompatibilities

Ensure adequate ventilation of the storage area. Keep containers tightly closed, cool and dry.

Keep product in packaging until ready for use. Do not store near strong acids or strong bases.

Specific end use(s) Industrial and Professional:

Ensure safe systems of work or equivalent arrangements are in place to manage risks.

maa

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

LTEL (TWA):

Control	parameters
---------	------------

Monitoring of the workplace should be considered in accordance with Community Exposure Limits or other data as indicated below.

 15 mg/m^3

	FF		8	amorphous, total dust, OSHA
LTEL (TWA):	- ppm	5	mg/m ³	PEL data for silica, amorphous, respirable fraction, OSHA
LTEL (TWA):	- ppm	10	mg/m ³	Data for silica, amorphous, inhalable, ACGIH

LTEL (TWA): mg/m^3 Data for silica, amorphous, 3 ppm respirable, ACGIH LTEL (8 hour TWA): mg/m^3 WEL data for silica, ppm amorphous, inhalable dust

LTEL (8 hour TWA): 2.4 mg/m^3 WEL data for silica, ppm amorphous, respirable dust

EH40 (2005) LTEL (8 hour TWA): mg/m^3 data for silica, amorphous, ppm

inhalable fraction,

PEL data for silica.

TRGS 900

EH40 (2005)



DriWrap

Revision Date: 12/11/2012

Product	Name
oaact	1141110

DRIWRAP

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION							
	LTEL (TWA):	1.0	fibers/cc		-	mg/m ³	Data for continuous filament glass fibers, ACGIH
	LTEL (TWA):	-	ppm		5	mg/m ³	Data for continuous filament glass fibers, inhalable, ACGIH
	LTEL (TWA):	-	ppm		10	mg/m ³	Data for continuous filament glass fibers, total dust, OSHA
	LTEL (TWA):	-	ppm		5	mg/m ³	Data for continuous filament glass fibers, respirable fraction, OSHA
	LTEL (TWA):	-	ppm		10	mg/m ³	PEL data for iron oxide fume, OSHA
	LTEL (TWA):	-	ppm		5	mg/m ³	Data for iron oxide, respirable, ACGIH
	LTEL (8 hour TWA):	-	ppm		5	mg/m ³	WEL data for iron oxide fume, EH40 (2005)
	STEL (15 min):	-	ppm		10	mg/m ³	WEL data for iron oxide fume, EH40 (2005)
	STEL (15 min):	-	ppm		3	mg/m ³	Data for iron oxide, respirable dust, TRGS 900
	STEL (15 min):	-	ppm		10	mg/m ³	Data for iron oxide, inhalable dust, TRGS 900
	LTEL (TWA):	-	ppm		15	mg/m ³	PEL data for aluminium trihydrate, total dust, OSHA
	LTEL (TWA):	-	ppm		5	mg/m ³	PEL data for aluminium trihydrate, respirable fraction, OSHA
	LTEL (TWA):	-	ppm		10	mg/m ³	Data for aluminium trihydrate, inhalable, ACGIH
	LTEL (TWA):	-	ppm		3	mg/m ³	Data for aluminium trihydrate, respirable, ACGIH
	Long-term			3.59 m	ng/m ³	3	DNEL, local, inhalation, data for aluminium trihydrate
	Long-term			10 m	ng/m ³	3	DNEL, systemic, inhalation, data for iron oxide
	Long-term			10 m	ng/m ³	3	DNEL, local, inhalation, data for iron oxide
	Aqua (freshwater)			7	4.9	μg/l	PNEC data for aluminium trihydrate



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

STP 20 mg/l PNEC data for aluminium

trihydrate

Engineering controls Provide local exhaust ventilation.

Personal protection Observe normal standards for handling chemicals.

Avoid breathing dust. Avoid eye and skin contact.

Wash hands before breaks and after work.

Wear personal protective equipment appropriate to the task (see below).

Eye protection Safety glasses or chemical goggles

Skin protection Nitrile gloves

Disposable coveralls

Respiratory protection Dust masks, NIOSH or CE-approved respirator or air fed visor (if ventilation is insufficient).

Other personal protection None reported.

Environmental exposure

controls

Do not allow to get into waste water or waterways.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical form Fabric blanket

Colour Maroon

Odour Faint ammonia
Odour threshold 0.6–53ppm

Molecular weight Not applicable

Molecular formula Not applicable

pH Not applicable

Melting pt / range Not applicable

Boiling pt / range Not applicable
Flash point Not applicable

Relative Evaporation Rate

(n-Butyl Acetate = 1)

Not applicable

General Flammability NON-COMBUSTIBLE

Flammability/explosive

limits

Not applicable

Vapour pressureNot applicableVapour DensityNot applicableRelative DensityNot applicableSolubilityInsoluble in water



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Partition coefficient (log P

or log K n-octanol / water)

Not applicable

Auto-ignition temperature

Not applicable

Decomposition temperature

Not applicable

Viscosity

Not applicable

Explosive properties

Not applicable

Oxidising properties

Not applicable

Other information

None reported

SECTION 10. STABILITY & REACTIVITY

Reactivity The product is hydrophobic and repels water.

Chemical stability Stable under normal conditions of handling

Possibility of hazardous

reactions

None reported.

Conditions to avoid Prolonged exposure to temperatures above the recommended use temperatures.

Incompatible materials Strong acids, strong bases.

Hazardous decomposition

products

None reported.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on Information refers to dust that may be produced when product is used.

toxicological effects Target organs: respiratory system, eyes, skin.

Routes of exposure: inhalation, eye and skin contact.

>5,000mg/kg Data for synthetic amorphous silica Acute toxicity - oral LD_{50}

> >10,000mg/kg Data for iron oxide LD_{50}

 LD_{50} (rat) >2,000 mg/kgData for aluminium trihydrate

 $>2,000 \text{mg/m}^3$ Acute toxicity - inhalation LC_{50} Data for synthetic amorphous silica

> $>210 \text{mg/m}^3$ LD_{50} Data for iron oxide

Acute toxicity - dermal LD_{50} >3,000mg/kg Data for synthetic amorphous silica

Skin corrosion/irritation Dust may cause irritation and dryness to skin.

Serious eve

damage/irritation

Dust may cause irritation and dryness to eyes.

Respiratory sensitisation

Skin sensitisation

None reported for product. None reported for product.

Page 6 of 11



DriWrap

Revision Date: 12/11/2012

Product Name DRIWRAP

SECTION 11. TOXICOLOGICAL INFORMATION

CMR effects Carcinogenicity: Data conclusive, but not sufficient for classification.

Component	ACGIH	NTP	IARC
Continuous Filament Glass Fibers	A4	Not Listed	3
Amorphous silica	NA	Not Listed	None
Natural micaceous iron oxide	A4	Not Listed	None
Aluminium trihydrate	Not listed	Not Listed	None

Mutagenicity: Data conclusive, but not sufficient for classification.

Reproductive toxicity: Data conclusive, but not sufficient for classification.

Single dose toxicity No data available for product.

Repeated dose toxicity No data available for product

Aspiration hazard None reported.

Adverse health effects and

symptoms

Excessive inhalation of dust may aggravate pre-existing chronic lung conditions including, but not limited to, bronchitis, emphysema, and asthma. Dermal contact may cause mechanical irritation.

Other information None reported.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity Product is insoluble and inert.

Fish, acute LC₅₀ (Danio rerio) >10,000 mg/l/96H Data for synthetic amorphous silica

LC₅₀ (*Salmo trutta*) >100 mg/l/96H Data for aluminium trihydrate

Fish, chronic No data available for product.

Invertebrates EC_{50} (Daphnia magna) >10,000 mg/l/24H Data for synthetic amorphous silica

EC₅₀ (Daphnia magna) >100mg/1/48H Data for iron oxide

Algae No data available for product.

Soil organisms No data available for product.

Micro-organisms EC₅₀ (activated sludge) >10,000 mg/l/3H Data for iron oxide

Other organisms No data available for product.

Persistence and

degradability

Not applicable for inorganic material.

Bioaccumulative potential None expected due to insoluble nature of product.

Mobility in soil None expected due to insoluble nature of product.

Results of PBT and vPvB

assessment

Not classified, based on the assessment carried out according to Annex XIII of REACH regulation.

Other adverse effects None reported.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods In accordance with national (i.e. Hazardous Waste Regulations) and local authority regulations.

Avoid generation of dust and use appropriate control measures (see Section 8).

Do not allow to get into waste water or waterways.



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 14. TRANSPORT INFORMATION

Land transport (ADR/RID)

The product is not classified for transport.

UN number

UN proper shipping name

Transport hazard class(es)

Packing group

Environmental hazards

Special precautions for

user

Emergency action code

Hazard Identification

Number

Marine transport (IMDG)

The product is not classified for transport.

UN number

UN proper shipping name

Transport hazard class(es)

Packing group

Environmental hazards

Special precautions for

user

Air transport (ICAO/IATA)

The product is not classified for transport.

UN number

UN proper shipping name

Transport hazard class(es)

Packing group

Environmental hazards

Special precautions for

user



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental

US:
Toxic Substances Control Act (TSCA)

regulations/legislation specific for product

Comprehensive Response Compensation, and Liability Act (CERCLA)

Superfund Amendments And Reauthorization Act (SARA)

Canada:

Canadian Environmental Protection Act (CEPA)

Workplace Hazardous Materials Information System (WHMIS)

Europe:

Classification, Labelling and Packaging Regulation (EC) 1272/2008

United Kingdom:

Chemicals (Hazard Information and Packaging) for Supply Regulations 2009 (CHIP4)

Federal Regulations (US)

TSCA (Toxic Substances Control Act) Section 8b - Inventory Status:

All chemical substances in this product are included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

TSCA (Toxic Substances Control Act) Section 12b - Export Notification:

All chemicals comprising this product are not subject to TSCA Section 12b export notification.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT)

Product is not classified as hazardous or reportable under this requirement.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

Product is not classified as hazardous or reportable under this requirement.

Section 311/312 HAZARD CATEGORIES

Materials in this product are classified as hazardous or reportable under this requirement.

Section 313

Materials in this product are not classified as hazardous or reportable under this requirement.

State Regulations (US)

Materials in this product appear on the following state hazardous substance lists: CA, IN, KY, MA, MN, NC, NJ, OR, PA. Check individual state requirements.

California Proposition 65

This product does not contain a chemical known to the state of California to cause cancer.

Chemical CAS No % Wt

None Not applicable Not applicable

International Regulations (Canada)

Controlled Products Regulations

This product has been classified according to the hazard criteria of the Controlled Products

Regulations (CPR) and the SDS contains all the information required by the CPR.

Canadian Domestic Substance List (DSL)

All chemical substances in this product are exempt from, or included on, the Domestic Substances

List.

WHMIS Ingredient Disclosure List

Chemical CAS No. % Wt Amorphous silica 7631-86-9 ≥1

WHMIS Classifications

This product has been classified in accordance with the hazard criteria of the Controlled Products

Packaging Regulation (EC) 1272/2008 and the Chemicals (Hazard Information and Packaging) for

International Regulations (Europe and UK)

Regulations (CPR) and is not a controlled material.

This product is not classified as a dangerous mixture as defined in the Classification, Labelling and

Supply Regulations 2009 (CHIP4).

Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 16. OTHER INFORMATION

Key to	abbreviations and
acrony	ms

1999/45/EC EU Dangerous Preparations Directive

ACGIH American Conference of Governmental Industrial Hygienists, Inc. (US)

ADR European agreement governing the international carriage of dangerous goods by

road

CAS No Chemical Abstracts Service Registry Number

CHIP 4 The Chemical (Hazard Information and Packaging for Supply) Regulations 2009

CLP Classification, Labelling and Packaging Regulation (EC) 1272/2008

CMR Carcinogen, Mutagen, Reprotoxin

DNEL Derived No Effect Level

EC₅₀ Concentration of a material that induces a 50% effect in the test subjects

EC No European Inventory of Chemical Substances number

ECHA European Chemicals Agency

EH40 (2005) HSE's list of Workplace Exposure Limits, as updated and amended GHS Globally Harmonised System for classification and labelling chemicals

GHS09 Pictogram – Environment

HMIS Hazardous Materials Identification System

HSE Health and Safety Executive (UK)

IARC International Agency for Research on Cancer

 LC_{50} Concentration of a material in air that kills 50% of the test subjects LD_{50} Amount of a solid or liquid material that kills 50% of test subjects

LTEL Long Term Exposure Limit

µg/l micrograms per litre

mg/kg milligrams per kilogram

mg/l milligrams per litre

mg/m³ milligrams per cubic metre

N Dangerous for the Environment

NFPA National Fire Protection Association

NIOSH The National Institute for Occupational Safety and Health (US)

NTP National Toxicology Program

OSHA Occupational Health & Safety Administration (US)

PBT Persistent, Bioaccumulative and Toxic

PEL Permissible Exposure Limit
PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorisation of Chemicals Regulation (EC)

1907/2006

STEL Short Term Exposure Limit STP Sewage Treatment Plant TLV Threshold Limit Value

TRGS Technischen Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances,

Germany)

TWA Time Weighted Average

vPvB very Persistent, very Bioaccumulative

WEL Workplace Exposure Limit

WHMIS Workplace Hazardous Materials Identification System

Sources of data

REACH Registration dossiers, suppliers' Safety Data Sheets, EH $\,40(2005),\,TRGS,\,GESTIS$

database, ACGIH, OSHA

Methods used to evaluate information used for classification

Annex I, Classification, Labelling and Packaging Regulation (EC) 1272/2008

Key to Hazard Statements in Section 3

H411 Toxic to aquatic life with long lasting effects.

Page 10 of 11



DriWrap

Revision Date: 12/11/2012

Product Name

DRIWRAP

SECTION 16. OTHER INFORMATION

Key to Risk Phrases in Section 3

R51/53

R51/53 Dangerous for the environment; Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DISCLAIMER: The information herein is presented in good faith and believed to be accurate as of the effective data given. However, no warranty, expressed or implied, is given. Users are urged to consult the primary documents referenced here and evaluate them for relevance to their actual use of the product. It is the users' responsibility to ensure that their activities comply with applicable Federal, State or Provincial, and local laws.

Data sheet prepared by Environmental Science Limited.

Printing date 12 Dec 11